

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		2	2
		% within Sex		12.5%	7.1%
	20-24	Count		3	3
		% within Sex		18.8%	10.7%
	25-29	Count	1	3	4
		% within Sex	8.3%	18.8%	14.3%
	30-39	Count	6	6	12
		% within Sex	50.0%	37.5%	42.9%
	40-49	Count	4	1	5
		% within Sex	33.3%	6.3%	17.9%
	50-59	Count	1	1	2
		% within Sex	8.3%	6.3%	7.1%
Total	Count	12	16	28	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	4	9
		% within Sex	41.7%	25.0%	32.1%
	African American	Count	7	12	19
		% within Sex	58.3%	75.0%	67.9%
Total		Count	12	16	28
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2		2
		% within Sex	16.7%		7.1%
	IDU	Count	4	3	7
		% within Sex	33.3%	18.8%	25.0%
	M-M & IDU	Count	2		2
		% within Sex	16.7%		7.1%
	Heterosexual Contact	Count	2	8	10
		% within Sex	16.7%	50.0%	35.7%
	Not Classified	Count	2	5	7
		% within Sex	16.7%	31.3%	25.0%
Total	Count	12	16	28	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	32.1%	32.1%
	African American	Count	19	19
		% within Adult-Ped	67.9%	67.9%
Total		Count	28	28
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	12	12
		% within Adult-Ped	42.9%	42.9%
	Female	Count	16	16
		% within Adult-Ped	57.1%	57.1%
Total		Count	28	28
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count		3	3
		% within Sex		30.0%	13.6%
	20-24	Count	1		1
		% within Sex	8.3%		4.5%
	25-29	Count	1		1
		% within Sex	8.3%		4.5%
	30-39	Count	5	3	8
		% within Sex	41.7%	30.0%	36.4%
	40-49	Count	4	4	8
		% within Sex	33.3%	40.0%	36.4%
	50-59	Count	1		1
		% within Sex	8.3%		4.5%
Total	Count	12	10	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	6	3	9
		% within Sex	50.0%	30.0%	40.9%
	African American	Count	6	7	13
		% within Sex	50.0%	70.0%	59.1%
Total		Count	12	10	22
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	33.3%		18.2%
	IDU	Count	1	2	3
		% within Sex	8.3%	20.0%	13.6%
	M-M & IDU	Count	2		2
		% within Sex	16.7%		9.1%
	Heterosexual Contact	Count	2	2	4
		% within Sex	16.7%	20.0%	18.2%
	Transfusion	Count		1	1
		% within Sex		10.0%	4.5%
	Not Classified	Count	3	5	8
		% within Sex	25.0%	50.0%	36.4%
Total	Count	12	10	22	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	40.9%	40.9%
	African American	Count	13	13
		% within Adult-Ped	59.1%	59.1%
Total		Count	22	22
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	12	12
		% within Adult-Ped	54.5%	54.5%
	Female	Count	10	10
		% within Adult-Ped	45.5%	45.5%
Total		Count	22	22
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		3.1%	1.8%
	1 (12-23 mo)	Count	1		1
		% within Sex	2.0%		.9%
	2-4	Count		1	1
		% within Sex		1.5%	.9%
	5-12	Count		1	1
		% within Sex		1.5%	.9%
	13-19	Count		12	12
		% within Sex		18.5%	10.5%
	20-24	Count	5	16	21
		% within Sex	10.2%	24.6%	18.4%
	25-29	Count	10	6	16
		% within Sex	20.4%	9.2%	14.0%
	30-39	Count	16	13	29
		% within Sex	32.7%	20.0%	25.4%
	40-49	Count	13	8	21
		% within Sex	26.5%	12.3%	18.4%
	50-59	Count	3	3	6
		% within Sex	6.1%	4.6%	5.3%
	60-69	Count		3	3
		% within Sex		4.6%	2.6%
	Unknown	Count	1		1
		% within Sex	2.0%		.9%
Total		Count	49	65	114
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	25	16	41
		% within Sex	51.0%	24.6%	36.0%
	African American	Count	23	48	71
		% within Sex	46.9%	73.8%	62.3%
	Hispanic	Count		1	1
		% within Sex		1.5%	.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	2.0%		.9%
Total	Count	49	65	114	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	17		17
		% within Sex	34.7%		14.9%
	IDU	Count	7	8	15
		% within Sex	14.3%	12.3%	13.2%
	M-M & IDU	Count	7		7
		% within Sex	14.3%		6.1%
	Heterosexual Contact	Count	8	28	36
		% within Sex	16.3%	43.1%	31.6%
	Transfusion	Count		1	1
		% within Sex		1.5%	.9%
	Not Classified	Count	9	24	33
		% within Sex	18.4%	36.9%	28.9%
	Ped Parent at Risk	Count	1	4	5
		% within Sex	2.0%	6.2%	4.4%
Total	Count	49	65	114	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	39	1	41
		% within Adult-Ped	20.0%	36.1%	100.0%	36.0%
	African American	Count	4	67		71
		% within Adult-Ped	80.0%	62.0%		62.3%
	Hispanic	Count		1		1
		% within Adult-Ped		.9%		.9%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		.9%		.9%
Total		Count	5	108	1	114
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	1	47	1	49
		% within Adult-Ped	20.0%	43.5%	100.0%	43.0%
	Female	Count	4	61		65
		% within Adult-Ped	80.0%	56.5%		57.0%
Total		Count	5	108	1	114
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		2	2
		% within Sex		3.1%	1.8%
	1 (12-23 mo)	Count	1		1
		% within Sex	2.1%		.9%
	2-4	Count		1	1
		% within Sex		1.5%	.9%
	5-12	Count		1	1
		% within Sex		1.5%	.9%
	13-19	Count		12	12
		% within Sex		18.5%	10.6%
	20-24	Count	5	16	21
		% within Sex	10.4%	24.6%	18.6%
	25-29	Count	10	6	16
		% within Sex	20.8%	9.2%	14.2%
	30-39	Count	15	13	28
		% within Sex	31.3%	20.0%	24.8%
	40-49	Count	13	8	21
		% within Sex	27.1%	12.3%	18.6%
	50-59	Count	3	3	6
		% within Sex	6.3%	4.6%	5.3%
	60-69	Count		3	3
		% within Sex		4.6%	2.7%
	Unknown	Count	1		1
		% within Sex	2.1%		.9%
Total		Count	48	65	113
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count		1	1
		% within Sex		1.5%	.9%
	5-12	Count	1	1	2
		% within Sex	2.1%	1.5%	1.8%
	13-19	Count		4	4
		% within Sex		6.2%	3.5%
	20-24	Count	3	12	15
		% within Sex	6.3%	18.5%	13.3%
	25-29	Count	6	13	19
		% within Sex	12.5%	20.0%	16.8%
	30-39	Count	18	17	35
		% within Sex	37.5%	26.2%	31.0%
	40-49	Count	13	9	22
		% within Sex	27.1%	13.8%	19.5%
50-59	Count	7	5	12	
	% within Sex	14.6%	7.7%	10.6%	
60-69	Count		2	2	
	% within Sex		3.1%	1.8%	
70+	Count		1	1	
	% within Sex		1.5%	.9%	
Total		Count	48	65	113
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	24	16	40
		% within Sex	50.0%	24.6%	35.4%
	African American	Count	23	48	71
		% within Sex	47.9%	73.8%	62.8%
	Hispanic	Count		1	1
		% within Sex		1.5%	.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	2.1%		.9%
Total	Count	48	65	113	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	16		16
		% within Sex	33.3%		14.2%
	IDU	Count	7	8	15
		% within Sex	14.6%	12.3%	13.3%
	M-M & IDU	Count	7		7
		% within Sex	14.6%		6.2%
	Heterosexual Contact	Count	8	28	36
		% within Sex	16.7%	43.1%	31.9%
	Transfusion	Count		1	1
		% within Sex		1.5%	.9%
Not Classified	Count	9	24	33	
	% within Sex	18.8%	36.9%	29.2%	
Ped Parent at Risk	Count	1	4	5	
	% within Sex	2.1%	6.2%	4.4%	
Total		Count	48	65	113
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	38	1	40
		% within Adult-Ped	20.0%	35.5%	100.0%	35.4%
	African American	Count	4	67		71
		% within Adult-Ped	80.0%	62.6%		62.8%
	Hispanic	Count		1		1
		% within Adult-Ped		.9%		.9%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		.9%		.9%
Total	Count	5	107	1	113	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	1	46	1	48
		% within Adult-Ped	20.0%	43.0%	100.0%	42.5%
	Female	Count	4	61		65
		% within Adult-Ped	80.0%	57.0%		57.5%
Total		Count	5	107	1	113
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	1	2
		% within Sex	6.7%	6.7%	6.7%
	25-29	Count	3	2	5
		% within Sex	20.0%	13.3%	16.7%
	30-39	Count	5	5	10
		% within Sex	33.3%	33.3%	33.3%
	40-49	Count	4	6	10
		% within Sex	26.7%	40.0%	33.3%
	50-59	Count	2	1	3
		% within Sex	13.3%	6.7%	10.0%
Total	Count	15	15	30	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	9	6	15
		% within Sex	60.0%	40.0%	50.0%
	African American	Count	6	9	15
		% within Sex	40.0%	60.0%	50.0%
	Total		Count	15	15
			% within Sex	100.0%	100.0%

a. HSDA = Lufkin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4		4
		% within Sex	26.7%		13.3%
	IDU	Count	3	4	7
		% within Sex	20.0%	26.7%	23.3%
	M-M & IDU	Count	2		2
		% within Sex	13.3%		6.7%
	Heterosexual Contact	Count	3	7	10
		% within Sex	20.0%	46.7%	33.3%
	Not Classified	Count	3	4	7
		% within Sex	20.0%	26.7%	23.3%
Total	Count	15	15	30	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	15	15
		% within Adult-Ped	50.0%	50.0%
	African American	Count	15	15
		% within Adult-Ped	50.0%	50.0%
Total		Count	30	30
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	15	15
		% within Adult-Ped	50.0%	50.0%
	Female	Count	15	15
		% within Adult-Ped	50.0%	50.0%
Total		Count	30	30
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1		1
		% within Sex	4.5%		3.4%
	25-29	Count	3	3	6
		% within Sex	13.6%	42.9%	20.7%
	30-39	Count	7	2	9
		% within Sex	31.8%	28.6%	31.0%
	40-49	Count	5	1	6
		% within Sex	22.7%	14.3%	20.7%
	50-59	Count	4	1	5
		% within Sex	18.2%	14.3%	17.2%
	60-69	Count	1		1
		% within Sex	4.5%		3.4%
	70+	Count	1		1
		% within Sex	4.5%		3.4%
Total		Count	22	7	29
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5	4	9
		% within Sex	22.7%	57.1%	31.0%
	African American	Count	16	3	19
		% within Sex	72.7%	42.9%	65.5%
	Hispanic	Count	1		1
		% within Sex	4.5%		3.4%
Total	Count	22	7	29	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	12		12
		% within Sex	54.5%		41.4%
	IDU	Count	4	3	7
		% within Sex	18.2%	42.9%	24.1%
	M-M & IDU	Count	1		1
		% within Sex	4.5%		3.4%
	Heterosexual Contact	Count	1	3	4
		% within Sex	4.5%	42.9%	13.8%
	Transfusion	Count		1	1
		% within Sex		14.3%	3.4%
	Not Classified	Count	4		4
		% within Sex	18.2%		13.8%
Total	Count	22	7	29	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	31.0%	31.0%
	African American	Count	19	19
		% within Adult-Ped	65.5%	65.5%
	Hispanic	Count	1	1
		% within Adult-Ped	3.4%	3.4%
Total	Count	29	29	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	22	22
		% within Adult-Ped	75.9%	75.9%
	Female	Count	7	7
		% within Adult-Ped	24.1%	24.1%
Total		Count	29	29
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Lufkin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	2	5
		% within Sex	1.0%	1.8%	1.2%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.3%	.9%	.5%
	2-4	Count		1	1
		% within Sex		.9%	.2%
	5-12	Count	2	1	3
		% within Sex	.7%	.9%	.7%
	13-19	Count	1	3	4
		% within Sex	.3%	2.7%	1.0%
	20-24	Count	16	15	31
		% within Sex	5.2%	13.5%	7.5%
	25-29	Count	48	26	74
		% within Sex	15.7%	23.4%	17.8%
	30-39	Count	120	34	154
		% within Sex	39.3%	30.6%	37.0%
	40-49	Count	67	17	84
		% within Sex	22.0%	15.3%	20.2%
	50-59	Count	32	6	38
		% within Sex	10.5%	5.4%	9.1%
60-69	Count	10	5	15	
	% within Sex	3.3%	4.5%	3.6%	
70+	Count	5		5	
	% within Sex	1.6%		1.2%	
Total		Count	305	111	416
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	183	36	219
		% within Sex	60.0%	32.4%	52.6%
	African American	Count	107	70	177
		% within Sex	35.1%	63.1%	42.5%
	Hispanic	Count	7	4	11
		% within Sex	2.3%	3.6%	2.6%
	Am Indian-Alaskan	Count	8	1	9
		% within Sex	2.6%	.9%	2.2%
Total	Count	305	111	416	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	156		156
		% within Sex	51.1%		37.5%
	IDU	Count	46	43	89
		% within Sex	15.1%	38.7%	21.4%
	M-M & IDU	Count	38		38
		% within Sex	12.5%		9.1%
	Hemophiliac	Count	4		4
		% within Sex	1.3%		1.0%
	Heterosexual Contact	Count	9	36	45
		% within Sex	3.0%	32.4%	10.8%
	Transfusion	Count	14	7	21
		% within Sex	4.6%	6.3%	5.0%
	Not Classified	Count	32	20	52
		% within Sex	10.5%	18.0%	12.5%
	Ped Hemophiliac	Count	1		1
		% within Sex	.3%		.2%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	1.3%	3.6%	1.9%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.3%	.9%	.5%
Total	Count	305	111	416	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	214	219
		% within Adult-Ped	45.5%	52.8%	52.6%
	African American	Count	6	171	177
		% within Adult-Ped	54.5%	42.2%	42.5%
	Hispanic	Count		11	11
		% within Adult-Ped		2.7%	2.6%
	Am Indian-Alaskan	Count		9	9
		% within Adult-Ped		2.2%	2.2%
Total	Count	11	405	416	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	299	305
		% within Adult-Ped	54.5%	73.8%	73.3%
	Female	Count	5	106	111
		% within Adult-Ped	45.5%	26.2%	26.7%
Total		Count	11	405	416
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2		2
		% within Sex	1.6%		1.0%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.8%	1.5%	1.0%
	2-4	Count		1	1
		% within Sex		1.5%	.5%
	13-19	Count	1	2	3
		% within Sex	.8%	3.0%	1.6%
	20-24	Count	8	13	21
		% within Sex	6.4%	19.7%	11.0%
	25-29	Count	16	14	30
		% within Sex	12.8%	21.2%	15.7%
	30-39	Count	46	18	64
		% within Sex	36.8%	27.3%	33.5%
	40-49	Count	33	12	45
		% within Sex	26.4%	18.2%	23.6%
	50-59	Count	15	3	18
		% within Sex	12.0%	4.5%	9.4%
	60-69	Count	2	2	4
		% within Sex	1.6%	3.0%	2.1%
	70+	Count	1		1
		% within Sex	.8%		.5%
Total		Count	125	66	191
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	3	1	4
		% within Sex	2.4%	1.5%	2.1%
	13-19	Count		1	1
		% within Sex		1.5%	.5%
	20-24	Count		1	1
		% within Sex		1.5%	.5%
	25-29	Count	8	15	23
		% within Sex	6.4%	22.7%	12.0%
	30-39	Count	34	28	62
		% within Sex	27.2%	42.4%	32.5%
	40-49	Count	50	11	61
		% within Sex	40.0%	16.7%	31.9%
	50-59	Count	21	6	27
		% within Sex	16.8%	9.1%	14.1%
	60-69	Count	6	1	7
		% within Sex	4.8%	1.5%	3.7%
	70+	Count	3	2	5
		% within Sex	2.4%	3.0%	2.6%
Total		Count	125	66	191
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	66	22	88
		% within Sex	52.8%	33.3%	46.1%
	African American	Count	53	39	92
		% within Sex	42.4%	59.1%	48.2%
	Hispanic	Count	6	4	10
		% within Sex	4.8%	6.1%	5.2%
	Am Indian-Alaskan	Count		1	1
		% within Sex		1.5%	.5%
Total	Count	125	66	191	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	61		61
		% within Sex	48.8%		31.9%
	IDU	Count	23	19	42
		% within Sex	18.4%	28.8%	22.0%
	M-M & IDU	Count	14		14
		% within Sex	11.2%		7.3%
	Hemophiliac	Count	1		1
		% within Sex	.8%		.5%
	Heterosexual Contact	Count	6	26	32
		% within Sex	4.8%	39.4%	16.8%
	Transfusion	Count	2	4	6
		% within Sex	1.6%	6.1%	3.1%
	Not Classified	Count	15	15	30
		% within Sex	12.0%	22.7%	15.7%
	Ped Parent at Risk	Count	3	2	5
		% within Sex	2.4%	3.0%	2.6%
Total		Count	125	66	191
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	3	85	88
		% within Adult-Ped	60.0%	45.7%	46.1%
	African American	Count	2	90	92
		% within Adult-Ped	40.0%	48.4%	48.2%
	Hispanic	Count		10	10
		% within Adult-Ped		5.4%	5.2%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.5%	.5%
Total		Count	5	186	191
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	122	125
		% within Adult-Ped	60.0%	65.6%	65.4%
	Female	Count	2	64	66
		% within Adult-Ped	40.0%	34.4%	34.6%
Total		Count	5	186	191
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

HSDA = Lufkin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	2	4
		% within Sex	1.2%	1.5%	1.3%
	1 (12-23 mo)	Count	2	1	3
		% within Sex	1.2%	.8%	1.0%
	2-4	Count		2	2
		% within Sex		1.5%	.7%
	5-12	Count		1	1
		% within Sex		.8%	.3%
	13-19	Count	1	14	15
		% within Sex	.6%	10.7%	4.9%
	20-24	Count	13	29	42
		% within Sex	7.5%	22.1%	13.8%
	25-29	Count	26	20	46
		% within Sex	15.0%	15.3%	15.1%
	30-39	Count	61	31	92
		% within Sex	35.3%	23.7%	30.3%
	40-49	Count	46	20	66
		% within Sex	26.6%	15.3%	21.7%
	50-59	Count	18	6	24
		% within Sex	10.4%	4.6%	7.9%
60-69	Count	2	5	7	
	% within Sex	1.2%	3.8%	2.3%	
70+	Count	1		1	
	% within Sex	.6%		.3%	
Unknown	Count	1		1	
	% within Sex	.6%		.3%	
Total		Count	173	131	304
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count		1	1
		% within Sex		.8%	.3%
	5-12	Count	4	2	6
		% within Sex	2.3%	1.5%	2.0%
	13-19	Count		5	5
		% within Sex		3.8%	1.6%
	20-24	Count	3	13	16
		% within Sex	1.7%	9.9%	5.3%
	25-29	Count	14	28	42
		% within Sex	8.1%	21.4%	13.8%
	30-39	Count	52	45	97
		% within Sex	30.1%	34.4%	31.9%
	40-49	Count	63	20	83
		% within Sex	36.4%	15.3%	27.3%
	50-59	Count	28	11	39
		% within Sex	16.2%	8.4%	12.8%
	60-69	Count	6	3	9
		% within Sex	3.5%	2.3%	3.0%
	70+	Count	3	3	6
		% within Sex	1.7%	2.3%	2.0%
Total		Count	173	131	304
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	90	38	128
		% within Sex	52.0%	29.0%	42.1%
	African American	Count	76	87	163
		% within Sex	43.9%	66.4%	53.6%
	Hispanic	Count	6	5	11
		% within Sex	3.5%	3.8%	3.6%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.6%	.8%	.7%
Total	Count	173	131	304	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Lufkin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	77		77
		% within Sex	44.5%		25.3%
	IDU	Count	30	27	57
		% within Sex	17.3%	20.6%	18.8%
	M-M & IDU	Count	21		21
		% within Sex	12.1%		6.9%
	Hemophiliac	Count	1		1
		% within Sex	.6%		.3%
	Heterosexual Contact	Count	14	54	68
		% within Sex	8.1%	41.2%	22.4%
Transfusion		Count	2	5	7
		% within Sex	1.2%	3.8%	2.3%
Not Classified		Count	24	39	63
		% within Sex	13.9%	29.8%	20.7%
Ped Parent at Risk		Count	4	6	10
		% within Sex	2.3%	4.6%	3.3%
Total		Count	173	131	304
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	4	123	1	128
		% within Adult-Ped	40.0%	42.0%	100.0%	42.1%
	African American	Count	6	157		163
		% within Adult-Ped	60.0%	53.6%		53.6%
	Hispanic	Count		11		11
		% within Adult-Ped		3.8%		3.6%
	Am Indian-Alaskan	Count		2		2
		% within Adult-Ped		.7%		.7%
	Total	Count	10	293	1	304
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	4	168	1	173
		% within Adult-Ped	40.0%	57.3%	100.0%	56.9%
	Female	Count	6	125		131
		% within Adult-Ped	60.0%	42.7%		43.1%
Total		Count	10	293	1	304
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Lufkin